

September 25, 2024

A general meeting of the Sewer Authority of the Borough of Minersville was held Wednesday, September 25, 2024 in Council Chambers, North Delaware Avenue and East Carbon Street. Chairman Tom Eltringham opened the meeting with the flag ceremony at 7:00PM.

ATTENDANCE

The following members attended the September meeting-Jeff Rizzardi, Jeremy Olenick, Tom Eltringham, Rich DiBiase, Steve Darosh, Engineer Don Cuff and Ray Sukeena, Plant Manager.

MINUTES

Mr. Darosh made a motion to approve the minutes from the August 2024 meeting. Mr. Olenick seconded the motion. The motion passed as presented.

FINANCIAL REPORT

Mr. DiBiase made a motion to approve the Financial Report for August 2024, second by Mr. Rizzardi. The motion passed as presented.

VISITORS

There were no visitors at the September meeting.

SOLICITOR'S REPORT

The Solicitor was not present at the September meeting.

ENGINEER'S REPORT

Mr. Cuff stated the Reber Pond project is 80% complete. Mr. Darosh made a motion, second by r. DiBiase to approve Requisition #53 in the amount of \$5285.00, which represents payment to Entech for bond, related engineering for \$1035 and HNT for the Reber Pond Project in the amount of \$4250. The motion passed as presented. Mr. cuff informed the Authority there is a LSA Grant Program funded from state casinos with awards from last year coming this November. Mr. Sukeena will consult his priority list for the October meeting.

SEWER OPERATOR'S REPORT

Mr. Sukeena presented members with a written report. Mr. Sukeena reported purchasing a new refrigerated/heated sampler for final effluent sampling resolving the issue with DEP inspection.

CORRESPONDENCE: There was no new correspondence.

UNFINISHED BUSINESS

There was no Unfinished Business.

OLD BUSINESS

There was no Old Business to report.

NEW BUSINESS

Mr. Mahalchick will have a draft of the 2025 budget for the October meeting.

Mr. Darosh made a motion to adjourn, Mr. Rizzardi seconded the motion.

Respectfully submitted,
Gloria Capik, Secretary